

Docket No.: P-0202

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Dae Sik KIM

Serial No: 09/801,637

Filed: March 9, 2001

Confirmation No.: 3932

Group Art Unit: 2663

Examiner : Brad T. MACE

Customer No.: 34610



For: INTERLEAVER MEMORY ACCESS APPARATUS AND METHOD OF CDMA SYSTEM

U.S. Patent and Trademark Office  
220 20<sup>th</sup> Street S  
Customer Window, Mail Stop Amendment  
Crystal Plaza Two, Lobby, Room 1B03  
Arlington, VA 22202

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☒ No additional fee is required.  
☐ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	20	20	0	x \$50.00 =	\$0.00
Independent Claims	3	3	0	x \$200.00=	\$0.00
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
<b>TOTAL FEE DUE</b>					<b>\$0.00</b>

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$ \_\_\_\_\_. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$ \_\_\_\_\_ (Check # \_\_\_\_\_) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,  
FLESHNER & KIM, LLP

Daniel Y.J. Kim  
Registration No. 36,186  
David A. Bilodeau  
Registration No. 42,325

P.O. Box 221200  
Chantilly, VA 20153-1200  
(703) 766-3701 DYK/DAB:cre  
Date: December 23, 2004

Docket No.:P-0202



PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

Confirmation No.: 3932

Dae Sik KIM

Group Art Unit: 2663

Serial No.: 09/801,637

Examiner: Brad T. MACE

Filed: March 9, 2001

**Customer No.: 34610**

For: INTERLEAVER MEMORY ACCESS APPARATUS AND METHOD OF CDMA  
SYSTEM

**AMENDMENT**

U.S. Patent and Trademark Office  
220 20th Street S.  
Customer Window, Mail Stop Amendment  
Crystal Plaza Two, Lobby, Room 1B03  
Arlington, VA 22202

Sir:

In response to the Office Action of September 30, 2004, please amend the above-identified application as follows:

**Amendments to the Abstract** are reflected on page 2 of this paper.

**Amendments to the Specification** begin on page 3 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 4 of this paper.

**Remarks/Arguments** begin on page 2 of this paper.